



NOTES:

INSTALLATION FORM STANDARD
MINIMUM SIZE - 24 INCH BY 36 INCH.

CUSTOM FORM SIZES AVAILABLE FOR
INSTALLATIONS REQUIRING A
MINIMUM SIZE LESS THAN OR LARGER
THAN 24 INCH BY 36 INCH.

SITE CONDITIONS CAN IMPACT
MEASUREMENTS. DIMENSIONS SHOWN
ARE NOMINAL

DIMENSION	RANGE (in)
A	24 - 36
B	2.38
C	0.18 - 0.22
D	0.90 - 1.20
E	0.65 min
F	0.55 - 0.75



DWS

DETECTABLE WARNING SURFACE




SCALE: 1 1/2" = 1'-0"

TRUNCATED DOME EXTRUSION - SIZE SHAPE AND SPACING WIDTH PER PROJECT REQUIREMENTS



VANGUARD'S HERE
TO STAY

www.vanguardonline.com




NOTES:

INSTALLATION IS A CONTINUOUS EXTRUSION TO REQUIRED LENGTH.

12 INCH MINIMUM WIDTH - WIDTHS GREATER THAN 12 INCHES ARE AVAILABLE IN 12 INCH WIDTH INCREMENTS.

SITE CONDITIONS CAN IMPACT MEASUREMENTS. DIMENSIONS SHOWN ARE NOMINAL

DIMENSION	RANGE (in)
A	12.00
B	3.00
C	0.20
D	0.90
E	1.70



TDI

TACTILE DIRECTION INDICATOR



SCALE: 1 1/2" = 1'-0"

CONTINUOUS EXTRUSION TO REQUIRED LENGTH BEVELED AT TERMINATIONS



VANGUARD'S HERE
TO STAY

www.vanguardonline.com



ENLARGED SECTION
SCALE: 3"=1'-0"

NOTES:
INSTALLATION IS A CONTINUOUS
EXTRUSION TO REQUIRED LENGTH
BEVELED AT TERMINATIONS

DIMENSION	RANGE (in)
A	10.00
B	6.33
C	1.84
D	0.75



TWD

TRAPEZOID TACTILE WARNING DELINEATOR




SCALE: 1 1/2" = 1'-0"

CONTINUOUS EXTRUSION TO REQUIRED LENGTH BEVELED AT TERMINATIONS



VANGUARD'S HERE
TO STAY

www.vanguardonline.com



NOTES:

INSTALLATION IS A CONTINUOUS EXTRUSION TO REQUIRED LENGTH.

12 INCH MINIMUM WIDTH - WIDTHS GREATER THAN 12 INCHES ARE AVAILABLE IN 12 INCH WIDTH INCREMENTS.

SITE CONDITIONS CAN IMPACT MEASUREMENTS. DIMENSIONS SHOWN ARE NOMINAL

DIMENSION	RANGE (in)
A	12.00
B	2.00
C	0.12
D	0.60
E	1.40



ACWS

RIBIT RUMBLE CYCLE WARNING SURFACING


SCALE: 1 1/2" = 1'-0"

CONTINUOUS EXTRUSION TO REQUIRED LENGTH BEVELED AT TERMINATIONS



VANGUARD'S HERE
TO STAY

www.vanguardonline.com



CONTROL JOINTS AT GUIDESTRIP/TRAPEZOID/RIBIT
CONTROL AND CONSTRUCTION JOINT MANAGEMENT



ECOPATH BIKE AND BUS LANE COATINGS
SLIP RESISTANT COATINGS FOR LINEAR TRAVEL AND WAYFINDING APPLICATION THICKNESS

VANGUARD	SUPPORT IMAGERY
SCALE: 3" = 1'-0"	